



BANO CABINETS



Bano provides a 3-year warranty against manufacturing defects: i.e. if such defects appear within 3 years of installation, customers can replace the defective item with a corresponding properties.



AWARD FOR DESIGN EXCELLENCE
NORWEGIAN DESIGN COUNCIL



The bathroom cabinet contains a range of well designed elements. It features a solid construction and is adapted for installation with the Bano washbasins. The socket for the electrical connection is positioned inside the cabinet, where it is well protected against splashes of water. The positioning of the electrical outlet also provides good accessibility for wheelchair users.

The lower section of the cabinet contains a pull-out wire basket. On installation, the cabinet door can be hinged on the right or on the left, with the integrated support bar on the opposite side. The cabinet and the support bar have been specially designed to with stand a load of 400 kg. Dampening on doors and drawers.



Bano standard tall cabinet

5302-30D/R (right) Bano standard tall cabinet, white 1800 x 300 x 400 mm

5302-30D/L (left) Bano standard tall cabinet, white 1800 x 300 x 400 mm

5302D/R (right) Bano standard tall cabinet, white 1800 x 400 x 400 mm

5302D/L (left) Bano standard tall cabinet, white 1800 x 400 x 400 mm





Bano tall cabinet with 2 doors

5303-34/R (right) Bano tall cabinet with 2 doors, white 1800 x 300 x 400 mm

5303-34/L (left) Bano tall cabinet with 2 doors, white 1800 x 300 x 400 mm

5303-44/R (right) Bano tall cabinet with 2 doors, white 1800 x 400 x 400 mm

5303-44/L (left) Bano tall cabinet with 2 doors, white 1800 x 400 x 400 mm



Accessories for 5302D/L, 5302-30D/L and 5303-34D/L, 5303-44R/L

5311 Bano grab bar-grey

5311-B Bano grab bar- metallic black

Material:


•**Body:** melamine coated moisture-resistant particle board, V 313, Simaplast Hidrofugo Blanco Super (Melamine 98 g/m²)

•**Doors:** moisture-resistant MDF coated with Fibra plastic Hidrofugo Blanco


•**Grab bar:** anti-bacterial, powder-coated aluminium and nylon

•**Basket:** galvanized steel wire. (5302D/L og 5202-30D/L)

Bano special cabinet with door




- 5304-34F/R** (right) Bano special cabinet with door, white 1330 x 300 x 400 mm
- 5304-34F/L** (left) Bano special cabinet with door, white 1330 x 300 x 400 mm
- 5304-44F/R** (right) Bano special cabinet with door, white 1330 x 400 x 400 mm
- 5304-44F/L** (left) Bano special cabinet with door, white 1330 x 400 x 400 mm



Bano special cabinet without door




- 5304-34** Bano special cabinet without door, white 1330 x 300 x 380 mm
- 5304-44** Bano special cabinet without door, white 1330 x 400 x 380 mm



Bano side cabinet without door



- 8341/R** (right) Bano side cabinet with door, white 650 x 325 x 170 mm
- 8341/L** (left) Bano side cabinet with door, white 650 x 325 x 170 mm



Bano horizontal cabinet



- 8300-W** Bano horizontal cabinet, white 325 x 650 x 170 mm



Material: •**Body:** melamine coated moisture-resistant particle board, V 313, Simaplast Hidrofugo Blanco Super (Melamine 98 g/m²) •**Door:** moisture-resistant MDF coated with Fibra plastic Hidrofugo Blanco